
LA NUEVA AVENIDA



NUVOW

MADERA DE INGENIERÍA

COLECCIÓN HERITAGE

La calidez natural de la madera con estabilidad, resistencia y elegancia para el día a día.

190 x 19 cm	14 mm	2 mm	2.166 m²
FORMATO	ESPESOR TOTAL	CAPA NOBLE	POR CAJA

ESPECIFICACIONES

Tipo de producto	Madera de ingeniería multicapa
Especie	Roble europeo
Largo	190 cm
Ancho	19 cm
Espesor total	14 mm
Capa noble	2 mm
Acabado	Cepillado + laca UV mate
Sistema	Machihembrado T&G
Contenido por caja	6 tablas / 2.166 m²
Humedad	7 – 9%

CARACTERÍSTICAS Y BENEFICIOS

ESTABILIDAD DIMENSIONAL
Contsrucción multicapa garantiza un rendimiento confiable.

DURABILIDAD
Capa superior de madera natural.

ACABADO NATURAL
Cepillado con laca UV mate.

SISTEMA T&G
Instalación precisa y segura.

ROBLE EUROPEO
Veta y tonalidad única propia de la madera.

VERSATILIDAD
Ideal para interiores residenciales y comerciales.

ESTRUCTURA MULTICAPA



- **Capa noble**
  Roble europeo – 2 mm
- **Capa intermedia**
  Eucalipto
- **Base estructural**
  Álamo

DATOS TÉCNICOS

Reacción al fuego	Dfl-s1
Emisión de formaldehído	E0
Conductividad térmica	0.133 W/m·K
Resistencia al deslizamiento	URSV ≥8
Durabilidad biológica	Clase 1
Nivel de brillo	5 – 10%



INFORMACIÓN DE EMPAQUE

6 tablas por caja

2.166 m² por caja

El paquete puede contener hasta 3–5% de tablas cortas.

Cada pieza de madera es única. Por tratarse de un producto natural, pueden presentarse variaciones de veta, tonalidad, nudos, albura y otras características propias de la especie. El color del producto puede variar respecto a las imágenes mostradas.

LA NUEVA AVENIDA



COLECCIÓN HERITAGE

GARANTÍA LIMITADA

MADERA DE INGENIERÍA

Nuestros pisos de madera de ingeniería están fabricados bajo los más altos estándares de calidad. Esta garantía limitada aplica al comprador original y está sujeta a los términos, condiciones y recomendaciones del fabricante.

INTEGRIDAD ESTRUCTURAL

Garantía limitada mientras el comprador original conserve el piso.

25 AÑOS
ACABADO SUPERFICIAL USO RESIDENCIAL

El acabado superficial está garantizado por 25 años contra desgaste prematuro bajo condiciones normales de uso residencial.

5 AÑOS
ACABADO SUPERFICIAL USO COMERCIAL

El acabado superficial está garantizado por 5 años contra desgaste prematuro bajo condiciones normales de uso comercial.

CONDICIONES GENERALES

- Aplica únicamente al comprador original.
- El producto debe ser instalado por un instalador calificado, conforme a las instrucciones del fabricante.
- Deben seguirse las recomendaciones de cuidado y mantenimiento.
- La garantía aplica únicamente en aplicaciones aprobadas por el fabricante.

ESTA GARANTÍA NO CUBRE

- Daños ocasionados por instalación incorrecta.
- Daños por humedad o condiciones del sitio.
- Rayones, golpes, herliduras o desgaste por uso.
- Variaciones naturales de color, veta, nudos y altura.
- Daños por productos de limpieza no recomendados.
- Daños por mascotas, ruedas, muebles u otros objetos.
- Desgaste en áreas de alto tránsito.
- Cualquier otro daño no cubierto específicamente por las recomendaciones de instalación, cuidado y mantenimiento.

IMPORTANTE

- La garantía no es transferible.
- Las variaciones de color, tono y veta son características naturales de la madera y no están cubiertas por esta garantía.
- Todos los pisos de madera tienen una tolerancia de desempeño de corte del 10%.
- Para más información, consulte el documento completo de garantía del fabricante.

LA NUEVA AVENIDA



NUVOW

CUIDADO Y MANTENIMIENTO

MADERA DE INGENIERÍA HERITAGE

Sigue estas recomendaciones para conservar la belleza, durabilidad y desempeño de tu piso de madera de ingeniería.

LIMPIEZA DIARIA

- Barrer, aspirar o retirar el polvo regularmente.
- Usar mopa de microfibra.
- Mantener el piso limpio y libre de partículas.
- Limpiar derrames de inmediato.

SÍ HACER

- Recortar las uñas de las mascotas.
- Usar protectores de fieltro en patas de muebles, sillas y otros muebles pesados.
- Colocar tapetes en accesos y áreas de alto tránsito.
- Utilizar rudas o rodajas de goma de T° o mayor medida.
- Instalar cortinas o persianas para evitar la exposición directa al sol.
- Mantener una humedad relativa entre 40% y 55% y una temperatura de 65–75°F (18–24°C).
- Levantar los muebles al moverlos, no arrastrarlos.

EVITAR

- No usar agua.
- No usar vinagre, amoníaco o detergentes domésticos.
- No usar ceras, jabones aceitosos ni pulidores de muebles.
- No usar sprays de control de polvo ni limpiadores que dejen película acrílica.
- No usar limpiadores a vapor.
- No permitir que líquidos permanezcan sobre el piso.
- Evitar la exposición prolongada y directa al sol.
- No usar rudas o rodajas metálicas o plásticas (solo rodajas de goma de al menos 1" de ancho).

PRODUCTOS RECOMENDADOS



Se recomienda el uso de **Bona Hardwood Floor Cleaner** y mopas de microfibra Bona para pisos con acabado UV.

IMPORTANTE

El uso de métodos o productos de limpieza no recomendados puede dañar el acabado y afectar la garantía del producto.

CERTIFICACIONES Y RESPALDO TÉCNICO

MaderadeIngeniería · ColecciónHeritage

NUVOW

HERITAGE

MADERA DE INGENIERÍA

Expedientedocumental decertificacionesdel fabricante
para respaldo comercial, técnico y de especificación.

CONTENIDO DEL DOSSIER

FSC Chain of Custody	Origen responsable y cadena de custodia para pisos de madera de ingeniería.
PEFC / CFCC Chain of Custody	Cadena de custodia forestal responsable.
CARB Phase 2 / TSCA Title VI	Control de emisiones de formaldehído.
EPA / TSCA Title VI	Requisitos de formaldehído para productos laminados.
CE / EN 14342	Desempeño de pisos de madera de ingeniería.
ISO 9001:2015	Sistema de gestión de calidad del fabricante.
ISO 45001:2018	Seguridad y salud ocupacional del fabricante.

NOTA DE ALCANCE

Los certificados originales se anexan sin modificaciones. La aplicabilidad de cada certificación debe validarse conforme a la configuración, lote y documentación comercial del producto suministrado.

RESUMEN DE CERTIFICACIONES

Fabricante: Shandong Longteng Wood Co.,Ltd.

DOCUMENTO	ALCANCE / RESPALDO	VIGENCIA	OBSERVACIÓN
FSC CoC	Engineered wood flooring FSC 100% / FSC Mix.	09-dic-2029	Validar claim FSC en documentos comerciales.
PEFC / CFCC CoC	Cadena de custodia para engineered floor.	19-sep-2029	Origen responsable.
CARB II / TSCA VI	CARB Phase 2 y TSCA Title VI para HWPW-VC.	30-jul-2027	Confirmar cobertura exacta de Heritage 14/2.
EPA / TSCA VI	TSCA Title VI para productos laminados.	30-jul-2027	Confirmar construcción 14/2.
CE / EN 14342	Dfl-s1, E1/REACH FA, USRV 58, 0.133 W/(m·K).	28-jul-2026	Variantes con capa superior desde 2.5 mm.
ISO 9001:2015	Gestión de calidad - procesamiento de plywood.	08-ene-2027	Certificación de sistema.
ISO 45001:2018	Seguridad y salud ocupacional - plywood.	08-ene-2027	Certificación de sistema.

RECOMENDACIÓN DE USO

Presentar esta hoja como resumen ejecutivo y conservar a continuación los certificados originales completos.
No utilizar claims de certificación como aplicables al producto final sin validar el alcance específico.

Shandong Longteng Wood Co., Ltd

Tanyi Industrial Park, Fei County, 273400, Linyi, Shandong, China

Bureau Veritas Certification Holding (BVCH) certifies that the company has implemented a FSC™ product groups control system according to the Forest Stewardship Council™ certification system, in the above location and complies with the requirements of Standard:

FSC Chain of Custody Certification standard, Ref.: FSC-STD-40-004 V3-1

For its activities concerning:

Manufacture and sales of engineeredwood flooringand plywood certified FSC 100% and FSC Mix.*

*Updated list of products & species on the FSC database (info.fsc.org)

Type of certification: Single

Original certification date:	**10-12-2024**
Certification start date:	**10-12-2024**
Expiration date:	**09-12-2029**
FSC Certificate code:	**BV-COC-211052**
Certificate No. / Version:	**CN053221/1**
Contract No:	**24313290**
Issue date:	**16-12-2024**

Nicolas MEY
Signed on behalf of BVCH

The validity of this certification shall be verified on: info.fsc.org
This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified or FSC Controlled Wood. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on sales and delivery documents.

Bureau Veritas Certification Holding - Tour ALTO, 4 place des saisons, 92400 COURBEVOIE - France: www.bureauveritas.com

Certification decision office:Bureau Veritas Certification China, Room 02, 9 / F, West Office Building 1, Oriental Economic and Trade City, Oriental Plaza, No.1 East Chang'an Street, Dongcheng District, Beijing, P.R.C. 100738

Contracting office: Bureau Veritas Certification China
A list of the products or services that are included in the scope of the certificate may be obtained on request to Bureau Veritas Certification. This certificate remains the property of Bureau Veritas Certification, all copies or reproductions and the certificate itself shall be returned or destroyed on Bureau Veritas certification request. All certificates not in English are for reference only

FSC CoC Certificate rev 8.2

August 17, 2023

SHANDONG LONGTENG WOOD CO.,LTD

ADDRESS:TANYI INDUSTRIAL PARK, FEI COUNTY, LINYI, SHANDONG, CHINA

Unified social credit code:9137132578501003XB

Bureau Veritas Certification (Beijing) Co.,Ltd. certifies that the company has implemented responsible Chain of CustodyCertification in conformity with the requirements of the China Forest Certification Council according to

---

CFCC GB/T 28952-2024 (endorsed by PEFC against PEFC ST 2002:2020) Forest Certification Rules

Scopeof certification

---

manufacturing and sales of X% CFCC Certified engineered floor ， Physical Separation

Original Certificate date: **20-September-2024**
Certificate Start date: **20-September-2024**
Certificate End date: **19-September-2029**
Certification decision date: **20-September-2024**

Certificate No.: **BVCN-CFCC-COC-22983166**

Version: **V.1**, Issue date: **20-September-2024**

Signed on behalf of
Bureau Veritas Certification (Beijing) Co., Ltd.

CFCC11000402

PEFC/01-44-55

中国认可
产品
PRODUCT
CNAS C158-P

This certificate remains the property of Bureau Veritas Certification (Beijing) Co., Ltd.
The certificate was based on audit findings of Bureau Veritas Certification (Beijing) Co., Ltd.
Address: Room 02, 9 / F, West Office Building 1, Oriental Economic and Trade City, Oriental Plaza, No.1 East Chang'an Street, Dongcheng District, Beijing, China. 100738
Querymail: xinxin.ji@bureauveritas.com,ortel: +86010-59683663,+86 010-59683691
Information of this certificate may be obtained by visiting CNCA website (www.cnca.gov.cn).

Certification No:CARB/EPA25032

CERTIFICATE

NUVOW

Scan to validate

ICTT Corporation (TPC-43) has assessed and certified the manufacturer

SHANDONG LONG TENG WOOD CO., LTD.（Mill No. ICTT-25032）

山东龙腾木业有限公司

The manufacturer's production line at:

Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China

中国山东省临沂市费县探沂工业园

For the following products

HWPW-VC (7-16mm, 5-12plies)

Emission level: CARB Phase 2 and TSCA Title VI

In accordance with

Sections 93120-93120.12, California Code of Regulations-to Reduce Formaldehyde Emissions from Composite Wood Products and 40 CFR part 770—Formaldehyde Standards for Composite Wood Products under regulation of TSCA Title VI.

Date of initial certification: July 31, 2025

Updated on July 13, 2026 Valid to July 30, 2027

IAS ACCREDITED Product Certification Agency PCA-129

ICTT Corporation
U.S. Add: 4700 Millenia Boulevard Suite 175 Orlando, FL 32839
China Add: B-22-3 of Gangtian High Rise Building, 2nd Zhongshan Rd, YuZhong, Chongqing, China

Mark Chan - Vice President-Quality Control
ICTT Corporation

Certification No:EPA-25032A

CERTIFICATE

Scan to validate

ICTT Corporation (TPC-43) has assessed and certified the manufacturer

SHANDONG LONG TENG WOOD CO., LTD.（Mill No. ICTT-25032A）

山东龙腾木业有限公司

The manufacturer's production line at:

Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China

中国山东省临沂市费县探沂工业园

NUVOW

For the following products

Laminated Products (10 -20mm, 6-13plies)

(Core: HWPW-VC 7-16mm, face veneer: 2.5-6mm)

Emission level: TSCA Title VI

In accordance with

40 CFR part 770—Formaldehyde Standards for Composite Wood Products under regulation of TSCA Title VI.

Date of initial certification: July 31, 2025

Updated on July 13, 2026 Valid to July 30, 2027

IAS ACCREDITED Product Certification Agency PCA-129

ICTT Corporation
U.S. Add: 4700 Millenia Boulevard Suite 175 Orlando, FL 32839
China Add: B-22-3 of Gangtian High Rise Building, 2nd Zhongshan Rd, YuZhong, Chongqing, China

Mark Chan - Vice President-Quality Control
ICTT Corporation

EPH®
SUCCESS BY QUALITY

Entwicklungs- und Prüflabor Holztechnologie GmbH
Zellescher Weg 24 · 01217 Dresden · Germany
www.eph-dresden.de

DAkkS Deutsche Akkreditierungsstelle D-PL-11054-01-00

accredited by Deutsche Akkreditierungsstelle GmbH (DAkkS)

Deutsches Institut für Bautechnik DIBt

European Notified Body for construction products
0766 Recognized body of DIBt SAC03

CE TEST CERTIFICATE

FOR PERFORMANCE CHARACTERISTICS OF CONSTRUCTION PRODUCTS FOR THE CE MARKING

FLO-26-07-28-01

Products: Engineered Wood Floorings
Variant 1+2: Top layer: Oak (2,5 - 6,0) mm, Based: Poplar + Eucalyptus (7,5 - 14,0) mm
Dimensions: length (400-2200) mm x width (125-260) mm x thickness (10-20) mm, UV-lacquered
Variant 3: Top layer: Oak 2,5 mm, Based: Poplar + Eucalyptus 11 mm, Thickness: 14 mm, UV-lacquered
Variant 4: Top layer: Oak 5,5 mm, Based: Poplar + Eucalyptus 14,5 mm, Thickness: 20 mm, Natural oiled
Variant 5: Top layer: Oak 4,0 mm, UV oiled
Variant 6: Top layer: American Walnut 3,0 mm, Natural oiled

Producer: Shandong Longteng Wood Co., Ltd.,
Tanyi Industrial Park, Feixian County, Linyi City, Shandong 273400, China

Order: Testing and classification of selected properties according to EN 14342:2013 (CE-labelling)

Test reports: 2708003/211, 2708003/222

Test results: The above-mentioned flooring products can be classified regarding to the tested properties according to EN 14342:2013 (CE-labelling) and assessed according to COMMISSION REGULATION (EU) 2023/1464 of 14/07/2023 amending Annex XVII to Regulation (EC) No 1907/2006 regarding formaldehyde (REACH FA) as follows:

Variant	Properties	Results	Declaration according to EN 14342:2013 / REACH FA
1+2	Reaction to fire performance according to EN ISO 9239-1:2010-06 and EN ISO 11925-2:2020-03, Classification according to EN 13501-1:2018-12 - Critical heat flux - Smoke production	4,3 kW / m² 80 % x min	Reaction to fire class D_{fl}-s1*
1-6	Formaldehyde emission according to EN 717-1:2004-10	< LOD (96 h)	Class E1/REACH FA compliant
1-6	Content of PCP according to CEN/TR 14823:2004	< LOQ	PCP ≤ 5 x 10^{-6n}
1-3	Anti-skid properties according to CEN/TS 15676:2008	USRV 58	USRV 58
4		USRV 45	USRV 45
5		USRV 68	USRV 68
6		USRV 53	USRV 53
1-5	Thermal conductivity according to EN 12664:2001-01	0,133 W/(m*K)	0,13 W/(m*K)
3	Maximum load according to EN 1533:2010-08 Span: 300 mm (product thickness: 14 mm)	2830 N	2,83 kN (300 mm)

* Valid on mineral subfloor in end use application, using adhesive or not

LOD = Limit of Detection (0,008 ppm / 0,010 mg/m³) LOQ = Limit of Quantitation

Dresden, 28/07/2026

Head of laboratory

Entwicklungs- und Prüflabor Holztechnologie GmbH · EPH · QUALITY TESTED

Engineer in charge

质量管理体系认证证书

证书编号：ISC-Q-2024-3408

兹 证 明

山东龙腾木业有限公司

统一 社会信用 代码:9137132578501003XB

注册 地址：费县探沂工业园 邮编: 273499

经营 地址 ： 费县探沂工业园 邮编: 273499

管理体系符合

GB/T19001-2016/ISO9001:2015 标准要求

认证范围：

胶合板加工

本证书自有效期起始日期后的每年度进行监督审核，监督合格发放《年度监督审核合格通知书》和年度审核报告为准。

本证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询

本证书信息可在认证机构官方网站(www.china-isc.org.cn)上查询

发证日期：2024 年01月09日

有效期至：2027 年01月08日

证书二维码

签 发 人：

认证机构：北京国标联合认证有限公司

Quality Management System Certificate

Registration No. ISC-Q-2024-3408

This is to certify that

SHANDONG LONGTENG WOOD CO.,LTD

The social credit code：9137132578501003XB

Registered Address: TANYI INDUSTRIAL PARK FEIXINA COUNTY

Audit Address: TANYI INDUSTRIAL PARK FEIXIAN COUNTY LINYI SHANDONG CHINA

Which is in conformity with

GB/T19001-2016/ISO9001:2015

This certificate covers the following scope of

Plywood processing

This certificate shall be subject to supervision and audit every year after the start date of validity, and the annual supervision and audit certificate and annual audit report shall be issued after the supervision is qualified.
The certificate information is available on the CNCA of the official website(www.cnca.gov.cn)
Search (www .chi na-i sc.o rg.c n)

Issue Date：2024-01-09

Expiration Date: 2027-01-08

Cert code

Issued by: Huangyijun

Beijing International Standard united Certification Co.,Ltd.

北京国标联合认证有限公司 1101050761838

Add: Floor 16, 1603, Building 1, 168 Beiyuan Road, Chaoyang District, Beijing,china. TEL (+86 10) 82252376

职业健康安全管理体系认证证书

证书编号：ISC-O-2024-2271

兹 证 明

山东龙腾木业有限公司

统一 社会信用 代码：9137132578501003XB

注册 地址：费县探沂工业园　　邮编: 273499

经营地址：费县探沂工业园　　邮编: 273499

管理体系符合

GB/T45001-2020 / ISO45001：2018 标准要求

认证范围：

胶合板加工所涉及场所的相关职业健康安全管理活动

本证书自有效期起始日期后的每年度进行监督审核，监督合格发放《年度监督审核合格通知书》和年度审核报告为准

本证书信息可在国家认证认可监督管理委员会官方网站(www.cnca.gov.cn)上查询

本证书信息可在认证机构官方网站(www.china-isc.org.cn)上查询

发证日期：2024 年01月09日年

有效期至：2027 01月08日

证书二维码

签 发 人：

认证机构：北京国标联合认证有限公司

Occupation Health Safety

Management System Certificate

Registration No. ISC-O-2024-2271

This is to certify that

SHANDONG LONGTENG WOOD CO.,LTD

The social credit code：9137132578501003XB

Registered Address: TANYI INDUSTRIAL PARK FEIXINA COUNTY

Audit Address: TANYI INDUSTRIAL PARK FEIXIAN COUNTY LINYI SHANDONG CHINA

Which is in conformity with.

GB/T45001-2020/ISO45001：2018

This certificate covers the following scope of

The relevant occupational health and safety management activities of the places involved in plywood processing

This certificate shall be subject to supervision and audit every year after the start date of validity, and the annual supervision and audit certificate and annual audit report shall be issued after the supervision is qualified.
The certificate information is available on the CNCA of the official website(www.cnca.gov.cn)
Search (www .chi na-i sc.o rg.c n)

Issue Date：2024-01-09

Expiration Date: 2027-01-08

Cert code

Issued by: Huangyijun

Beijing International Standard united Certification Co.,Ltd.

北京国标联合认证有限公司 1101050761838

Add: Floor 16, 1603, Building 1, 168 Beiyuan Road, Chaoyang District, Beijing,china. TEL (+86 10) 82252376